



Change starts here



AkzoNobel

CHANGE STARTS HERE

Sustainability Ambition:

We are determined to make a positive impact on your business, your clients, your projects and communities while reducing our impact on the planet.

We believe that every time you paint, there is an opportunity to make a positive difference. That's why we are committed to developing innovative products and solutions that have lower VOC emissions, protect surfaces for longer and use renewable materials.

AkzoNobel maintain our Platinum EcoVadis Sustainability rating

AkzoNobel are thrilled to share that our ongoing commitment to a more sustainable future has earned us another Platinum medal from EcoVadis! We've maintained our highest score ever - **82/100** - in the latest assessment, placing us in the **top 1%** over 130,000 companies worldwide.

For all queries on Dulux Trade Products for your projects, please contact Dulux Ireland Contracts & Specification manager **David Brady**



David brings to Dulux a wealth of experience in the architectural coatings sector spanning three decades. Over the last **ten years** his focus has been on supporting architects and specifiers. David is our Sustainability champion with a keen interest in green building regulations.

📧 **Email:** David.Brady@AkzoNobel.com

☑ **Mobile:** +353 087 340 7426

🌐 **Linkedin:** <http://www.linkedin.com/in/david-brady-8a0440b8>

DULUX IRELAND AIM TO:

- Build strategic partnerships with architects, designers and industry professionals
- Collaboration with specifiers using NBS Chorus
- Support industry CPD needs
- Implement and deliver Dulux's sustainable 360 solutions
- Create product specifications for bespoke projects
- Continue to be industry leaders in colour and design
- Support specifiers with LEED, BREAM, EU Taxonomy and green Building certification

OUR PRODUCTS

WALLS AND CEILINGS

[Dulux Trade Diamond Matt Bases 99.9% VOC Free](#)

[Dulux Trade Super Matt 99.9% VOC Free](#)

[Dulux Trade Vinyl Matt Bases 99.9% VOC Free](#)

[Dulux Trade Vinyl Matt White 99.9% VOC Free](#)

[Dulux Trade Diamond Eggshell](#)

[Dulux Trade Scuffshield Matt](#)

[Armstead Trade Vinyl Matt](#)

PAINT FOR WOOD AND METAL

[Dulux Aquamax Satinwood Colour Mix](#)

[Dulux Aquamax High Gloss](#)

[Dulux Aquamax Satinwood White](#)

[Dulux Trade Diamond Satinwood](#)

[Dulux Trade Quick Dry Gloss](#)

[Dulux Trade Quick Dry Satinwood](#)

SPECIALIST

[Dulux Trade Mouldshield Fungicidal Eggshell](#)

[Dulux Trade Mouldshield Fungicidal Matt](#)

[Dulux Trade Diamond Matt Sterishield](#)

PRIMERS & UNDERCOATS

[Dulux Aquamax Undercoat Colour Mix](#)

[Dulux Aquamax Primer Undercoat](#)

[Dulux Trade Dry wall Primer Sealer](#)

[Dulux Trade Quick Dry Undercoat](#)

[Dulux Trade Super Grip Primer](#)

WOODCARE

[Dulux Trade Diamond Glaze Clear Varnish](#)

Dulux Trade Diamond Matt Bases 99.9% VOC Free

WATER-BASED

A tough and washable emulsion with a smooth, even matt finish that is 99.9% VOC Free*, to minimise the impact on indoor air quality**



99.9%
VOC Free



BENEFITS

Ultimate durability, scrub and scuff resistant with stain repellent technology to prevent stains from setting into the surface, making cleaning up easier, and helping the finished job look better for longer.



RECENTLY
UPDATED

High
Durability

Colour Range White, Magnolia, RAL9010 and over 11,650 colours*, including Colour Palette, NCS2 and BS colours.

Pack sizes 2.5L | 5L | 10L

Touch dry Dependent on temperature and humidity

Recoatable 4-6 hours

Coverage Up to 16m² per litre on sealed surfaces

Thinning This product can be thinned.
Please refer to data sheet for details

Dulux Trade Super Matt 99.9% VOC Free

WATER-BASED

Dulux Trade Supermatt is a top quality, economical, high-opacity matt emulsion which gives excellent coverage and application. Suitable for all interior wall, ceiling surfaces, it is especially suitable for plasterboard that is still drying out.



99.9%
VOC Free



BENEFITS

Decorators' choice for best coverage, Ideal as a first coat on plaster good opacity



Colour Range White, Magnolia.

Pack sizes 5L | 10L

Touch dry Dependent on temperature and humidity

Recoatable 2-4 hours

Coverage Up to 18m²/litre

Thinning Up to 20% water

Dulux Trade Vinyl Matt Bases 99.9% VOC Free

WATER-BASED

A top quality, high opacity matt emulsion paint for use on all interior walls and ceilings. 99.9% VOC Free*, to minimise the impact on indoor air quality**.



99.9%
VOC Free



BENEFITS

Excellent application and finish, high opacity, coverage up to 17m² per litre, water-based



RECENTLY
UPDATED

Colour Range Available in over 14000 colours in colour mixing

Pack sizes 1L | 2.5L | 5L | 10L | 11L

Touch dry Dependent on temperature and humidity

Recoatable 2-4 hours

Coverage Up to 17m²/litre on sealed surfaces

Thinning This product can be thinned.
Please refer to data sheet for details

Dulux Trade Vinyl Matt White 99.9% VOC Free

WATER-BASED

A matt emulsion paint for use on interior walls and ceilings. 99.9% VOC Free*, to minimise the impact on indoor air quality**.



99.9%
VOC Free



BENEFITS

Excellent application and finish, high opacity, coverage up to 17m² per litre, water-based



RECENTLY
UPDATED

Colour Range Pure Brilliant White

Pack sizes 10L | 11L

Touch dry Dependent on temperature and humidity

Recoatable 2-4 hours

Coverage Up to 17m²/litre on sealed surfaces

Thinning This product can be thinned.
Please refer to data sheet for details

Dulux Trade Diamond Eggshell

WATER-BASED

A tough, cleanable emulsion with a smooth, mid-sheen even eggshell finish that protects against scrubs, scuffs and stains. Has 10 times tougher durability than other brands.



BENEFITS

Ultimate durability, scrub, scuff and stain resistant technology, smooth even finish. Tinting Bases and Magnolia also contain Anti-Fade Technology for truly long lasting colour



Colour Range White and over 14,000 colours, including Colour Palette, NCS2 and BS colours.

Pack sizes 2.5L | 5L

Touch dry Dependent on temperature and humidity

Recoatable 4-6 hours

Coverage Up to 16m²/litre on sealed surfaces

Thinning This product can be thinned. Please refer to data sheet for details

Dulux Trade Scuffshield Matt

WATER-BASED

Ultimate durability, scrub and scuff resistant, with stain repellent technology, to prevent stains from setting into the surface, making cleaning up easier, and helping the finished job look better for longer. Perfect for use in high traffic areas.



BENEFITS

Protect walls against scuff marks being left behind from items such as shoes and bags. Cleanable with good scrub and stain resistance, which helps keep walls looking good for longer



Colour Range White, RAL9010 and over 14,000 colours, including Colour Palette, NCS2 and BS colours

Pack sizes 5L

Touch dry Dependent on temperature and humidity

Recoatable 4-6 hours

Coverage Up to 16m²/litre

Thinning Thinning is not usually required. However, product can be thinned up to 1 part clean water to 10 parts paint if required

Armstead Trade Vinyl Matt

WATER-BASED

A professional quality matt emulsion that minimises surface imperfections. Suitable for all normal interior and ceiling surfaces. Particularly suited for large job applications in commercial, institutional and industrial structures.



BENEFITS

For interior and exterior use. Excellent coverage, smooth application and easy to apply. Water-based.



Colour Range White/White Base

Pack sizes 5L | 10L | 15L

Touch dry 1-2 hours

Recoatable 2-4 hours

Coverage Up to 14m²/litre

Thinning Thinning is not usually required. But in hot environments, thin 10% with water.

Dulux Trade Commercial Recycling

Dulux Trade has full commercial recycling capabilities for our entire water-based range, allowing contractors and decorators to comply with project specification.

for more information, please email
David.Brady@Akzonobel.com

Dulux AquaMax Satinwood Colour Mix

WATER-BASED

Dulux AquaMax Satinwood is a durable quality finish, specially formulated for use on interior and exterior wood and metal.



BENEFITS Easy to apply, low odour, quick drying, water-based.



Colour Range Available in a wide range of colours in Dulux Tinting System

Pack sizes 1L | 2.5L | 5L

Touch dry 1-2 hours

Recoatable 2-4 hours

Coverage Up to 18m²/litre

Thinning Thinning is not usually necessary, but if required add up to 1 part clean water to 10 parts paint.

Dulux Aquamax High Gloss

WATER-BASED

Suitable for use on interior and exterior soft and hardwoods. Not recommended as a primer for metal, plaster, brickwork, rendering, asbestos, cement, or rough surfaces. Do not use on heated surfaces.



BENEFITS For Interior and exterior use, excellent coverage and Smooth application. Easy to apply. Water based, Low odour.



Colour Range Pure Brilliant White

Pack sizes 750ml | 2.5L | 5L

Touch dry 1-2 hours

Recoatable 2-4 hours

Coverage Up to 13m²/litre

Thinning Add up to 1-part clean water to 10 parts paint

Dulux AquaMax Satinwood White

WATER-BASED

Dulux AquaMax Satinwood is a durable satin finish, specially formulated for use on interior and exterior wood and metal.



BENEFITS Easy to apply, low odour, quick drying, water-based.



Colour Range Pure Brilliant White

Pack sizes 750ml | 2.5L | 5L

Touch dry 1-2 hours

Recoatable 2-4 hours

Coverage Up to 18m²/litre

Thinning Thinning is not usually necessary, but if required add up to 1 part clean water to 10 parts paint.

Dulux Trade Diamond Satinwood

WATER-BASED

Superior quality with a durable, tough satin finish for use on interior high traffic areas such as corridors, stairwells and high access areas.



BENEFITS Superior quality with a tough durable satin finish. For use on interior high traffic areas such as corridors, stairwells and access areas.



Colour Range Pure Brilliant White and more than 14,000 colours, including Colour Palette, NCS2 and BS colours

Pack sizes 1L | 2.5L | 5L

Touch dry Dependent on temperature and humidity

Recoatable 6 hours

Coverage Up to 12m²/litre

Thinning This product can be thinned. Please refer to data sheet for details

Dulux Trade Quick Dry Gloss

WATER-BASED

An advanced water-based high gloss finish, for use on both interior wood and metal.



BENEFITS

High gloss finish. Advanced water-based technology. Tough and durable lasting whiteness.



Colour Range Pure Brilliant White and more than 14,000 colours, including Colour Palette, NCS2 and BS colours

Pack sizes 1L | 2.5L

Touch dry Dependent on temperature and humidity

Recoatable 6 hours

Coverage Up to 12m²/litre

Thinning This product can be thinned. Please refer to data sheet for details

Dulux Trade Quick Dry Satinwood

WATER-BASED

A tough, water based satin finish that uses Diamond Technology from Dulux Trade to give it 10 times the durability of many solvent-based satin finishes. It can be used direct to suitably surfaces as no undercoat is required. Suitable for interior use on wood and metal trim surfaces.



BENEFITS

Excellent satin finish. Advanced water-based technology. Tough, durable finish. No undercoat required.



Colour Range Pure Brilliant White and more than 14,000 colours, including Colour Palette, NCS2 and BS colours

Pack sizes 1L | 2.5L

Touch dry Dependent on temperature and humidity

Recoatable 6 hours

Coverage Up to 12m²/litre

Thinning This product can be thinned. Please refer to data sheet for details



Dulux Trade Mouldshield Fungicidal Eggshell

WATER-BASED

A quick drying water-based mid-sheen emulsion. Suitable for all normal interior wall and ceilings including surfaces plaster, masonry and wood.



BENEFITS

A tough, durable and attractive mid-sheen water-based finish, suitable for the decoration and protection of most normal interior plaster, masonry and wood surfaces. It is quick drying and of low odour compared to solvent-based paints.



High Durability

Quick Drying

Colour Range

White, RAL9010 and over 14,000 colours, including Colour Palette, NCS2 and BS colours

Pack sizes

5L

Touch dry

Dependent on temperature and humidity

Recoatable

4-6 hours

Coverage

Up to 16m²/litre

Thinning

Thinning is not usually required. However, product can be thinned up to 1 part clean water to 10 parts paint if required

Dulux Trade Mouldshield Fungicidal Matt

WATER-BASED

A matt emulsion paint that contains a special fungicide which inhibits the growth of fungi and mould inside buildings. Suitable for internal walls and ceilings.



BENEFITS

Excellent application and finish, high opacity, coverage up to 17m² per litre, water-based antifungal, good adhesion and durability.



Colour Range

White and over 7,000 colours, including many Colour Palette, NCS2 and BS colours

Pack sizes

5L

Touch dry

Dependent on temperature and humidity

Recoatable

2-4 hours

Coverage

Up to 17m²/litre on sealed surfaces

Thinning

This product can be thinned. Please refer to data sheet for details

Dulux Trade Diamond Matt Sterishield

WATER-BASED

A quick drying matt emulsion paint that contains a mild in film bactericide. Helps promote a more hygienic environment.



BENEFITS

Antifungal. Inhibits mould and fungi growth on walls. Good adhesion and durability. Tough, scrubbable and stain resistant.



Colour Range

White and over 7,000 colours, including many Colour Palette, NCS2 and BS colours

Pack sizes

5L

Touch dry

Dependent on temperature and humidity

Recoatable

2-4 hours

Coverage


Up to 17m²/litre on sealed surfaces

Thinning

This product can be thinned. Please refer to data sheet for details

For more information on all Dulux Ireland products

SCAN THE CODE



SPECIALIST

AkzoNobel

Dulux Aquamax Primer Undercoat

WATER-BASED

Suitable for use on interior and exterior soft and hardwoods. Not recommended as a primer for metal, plaster, brickwork, rendering, asbestos, cement, or rough surfaces. Do not use on heated surfaces.



BENEFITS

For Interior and exterior use, excellent coverage and smooth application. Easy to apply. Water based, low odour.



Quick Drying

Colour Range

White

Pack sizes

750ml | 2.5L | 5L

Touch dry

1-2 hours

Recoatable

2-4 hours

Coverage

Up to 13m²/litre

Thinning

Add up to 1-part clean water to 10 parts paint

Dulux Aquamax Undercoat Colour Mix

WATER-BASED

Dulux AquaMax is a high performance trim solution for Wood and Metal, for Interior and Exterior use. Dulux AquaMax has excellent coverage and application properties as well as a quality finish.



BENEFITS

For Interior and exterior use, excellent coverage and smooth application. Water based, low odour, easy to apply and hardwearing.



Quick Drying

Colour Range

Available in 12 colours on the Dulux Tinting system

Pack sizes

1L | 2.5L

Touch dry

1-2 hours

Recoatable

2-4 hours

Coverage

Up to 13m²/litre

Thinning

Add up to 1 part clean water to 10 parts paint

Dulux Trade Dry Wall Primer Sealer

WATER-BASED

A high quality, water-based wall paint primer sealer for new plasterboard walls and ceilings. Developed to help even out surface porosity on dry wall.



BENEFITS

Evens dry wall porosity. Binds and seals powdery surfaces. Promotes a good finish. High opacity.



Colour Range

White

Pack sizes

10L

Touch dry

Dependent on temperature and humidity

Recoatable

2-4 hours

Coverage

Up to 15m²/litre

Thinning

Thinning not generally required. Please refer to data sheet for details

Dulux Trade Quick Dry Undercoat

WATER-BASED

The ideal foundation for Dulux Trade Quick Dry Gloss. Can be used on all interior wood and metal.



BENEFITS

Excellent coverage. Advanced water-based technology. Perfect for Dulux Trade Quick Dry Gloss. Evens Dry Wall porosity. Binds and seals powdery surfaces. Promotes a good finish and high opacity.



Quick Drying

Colour Range

White and more than 14,000 colours including Colour Palette, NCS2 and BS colours*

Pack sizes

1L | 2.5L | 5L

Touch dry

Dependent on temperature and humidity

Recoatable

4-5 hours

Coverage

Up to 10m²/litre

Thinning

This product can be thinned. Please refer to data sheet for details

PRIMERS & UNDERCOAT



Dulux Trade Super Grip Primer

WATER-BASED

Single pack primer formulated to provide good adhesion.



BENEFITS

Water based primer which provides good adhesion on difficult substrates. For surfaces such as melamine, stoved enamel, powder coated metal, ceramic tiles, laminates and glass.



Colour Range White

Pack sizes 1L | 2.5L

Touch dry Dependent on temperature and humidity

Recoatable 4-6 hours

Coverage Up to 18m²/litre

Thinning Thinning not generally required. Please refer to data sheet for details

WOODCARE



Dulux Trade Diamond Glaze Clear Varnish

WATER-BASED

A water-based varnish for maximum durability, ideal for doors, trim, furniture and other joinery.



BENEFITS

For all high wear interior wood surfaces, especially floors. Up to 10 times tougher than conventional varnish*. Water-based and quick drying.



Colour Range Clear gloss and satin finishes. Also available in 21 natural wood and 18 designer colours (colours only available in satin finish)**

Pack sizes 2.5L | 5L

Touch dry 1-2 hours


Recoatable 2-4 hours

Coverage Smooth wood: up to 25m²/litre/coat (normally 2-3 coats on new/bare wood)

Thinning Thinning not recommended

OUR APPROACH TO SUSTAINABLE BUSINESS

Focus Areas



Our key sustainability ambitions by 2030



50%

less carbon emissions in our own operations and across value chain.



>50%

of revenue from sustainable solutions.



100%

circular use of materials in own operations driven by reduce, reuse, recycle.



>100,000*

members of local communities empowered with new skills.

*worldwide

Our six sustainability drivers



Reduced carbon and energy



Health and well-being



Reduce, reuse and renew



People and communities



Longer-lasting performance



Less waste



www.duluxtradepaintexpert.ie/en

