





DEFEND YOUR HOME AGAINST MOULD AND ALGAE

Dulux Weathershield is a smooth masonry paint with ultimate durability specially formulated for Irish weather. Now with a new improved formula that helps defend and protect against mould and algae growth** for a freshly painted look that stays cleaner for longer.

**Contains a fungicide to inhibit the growth of mould and algae within the paint film and helps it stay looking cleaner for longer. Our new formulation is three times more effective than our 2020 formulation



Improved Mould

Algae Protection**



Superior Colour Retention



Fast Shower
Resistance



INSPIRATION ACROSS IRELAND

Throughout the country, there are homes that have been transformed by Dulux Weathershield. Discover some refreshingly different colour schemes that work with our unique Irish light to make any home stand out.

VICO PINK* All Walls

CARRAIG GREY

ATLANTIC SWELL Front Door



KNOCK NA RÍ

ACHILL WHITE

SWEET BLUEBIRD



COBBLELOCK

ACHILL WHITE

ANTELOPE

IRON CLAD



WINTER'S TALE

GOOSEWING

PURE BRILLIANT WHITE

BONDI WATERS

SOFT GRANITE

WILD COTTON Window Sills and Plinth

COUNTY CREAM Wooden Fence from BLACK Front Door





MERLIN

BLACK

PURE BRILLIANT WHITE







BEGINISH*

NEW WOOL

ALWAYS CONSIDER NEIGHBOURING HOMES IN URBAN AREAS TO ENSURE YOUR PREFERRED SCHEME WORKS WITH THE HOMES CLOSEST TO YOURS.

FIND YOUR PERFECT **COLOUR TRIO**

Choosing a colour scheme for your home is now easier than ever.

With colour trios, you have three proven colours that work with the features of a traditional or modern home to give you a beautiful colour scheme.

Each trio gives you greater confidence when decorating the exterior of your home as you can rest assured they look great in any weather.



Try out our free Let's Chat Colour consultation to chat about your project. Simply DM us via @duluxIreland on Facebook or @duluxirl on Instagram to book a time and date for a call.

TRIO IN ACTION







IRON CLAD



3. The deepest shade is the most practical for the plinth and sills and also helps ground the scheme.

3 STEPS TO CHOOSING YOUR TRIO COLOUR SCHEME

1. Choose the colour for your exterior walls from the largest colour chip.

2. As a general rule, the lightest tint in a trio can highlight decorative details like window reveals and quoin stones.

KEY TIPS FOR SELECTING YOUR MAIN COLOUR

Homes with natural stone or timber windows can take warm contemporary colours that are greyed off and have a green undertone.

Earthy colours with a warm or yellow undertone work beautifully with traditional houses in natural stone while neutral tones with low contrast elongate bungalows.

Modern homes with black, grey or white window frames or built with limestone are ideal for cool neutrals that sit between blue and grey.

MASONRY - READY MIX COLOURS







8

DEVIL'S CHURN

10

SLYNE HEAD

MASONRY - BESPOKE COLOURS
A SELECTION OF ON TREND COLOURS THAT WORK TOGETHER. GET THESE COLOURS AND MORE MIXED INSTORE WITH THE DULUX TINTING MACHINE.



FRONT DOOR, WOOD AND METAL WEATHERSHIELD EXTERIOR SATINWOOD - A WATER BASED EXTERIOR PAINT WITH A SATIN FINISH







For surfaces requiring an undercoat, Dulux Trade Weathershield Quick Drying Exterior Undercoat should be mixed up on the tinting system.

11

FRONT DOOR, WOOD AND METAL

DULUX HIGH GLOSS - AN EXTERIOR AND INTERIOR PAINT WITH A HIGH GLOSS FINISH. ALSO AVAILABLE IN PURE WHITHIGH GLOSS



U/C denotes recommended undercoat required for each colour.



MORE COLOUR CHOICE OUR NEW WEATHERSHIELD FANDECK OFFERS

STOCKIST TO LEARN MORE.

YOU OVER 850 COLOURS. VISIT YOUR LOCAL

STYLE COMES KNOCKING

When your front door calls for a new colour, answer with one that will complement your chosen trio. Even with a neutral colour scheme, you can afford to paint the door a brighter colour to give your entrance something extra.





NICKLOW WAY

WINDOW WHITE

CASHEL CLAY





TOP TIP PAINTING YOUR FRONT DOOR IS AN INEXPENSIVE WAY TO TRANSFORM THE LOOK OF YOUR EXTERIORS.





ATLANTIC WAY

ACHILL WHITE

OLIVE GARDEN

WINDOW WHITE

HOW TO PAINT A FRONT DOOR

Welcome visitors to your home with a freshly painted door that makes a great first impression, transforming your exterior instantly.

It's the perfect weekend project and only takes a matter of hours. What's more, it gives your home a new look in the most cost effective way.

Painting your front door a daring new colour can revamp its appearance guicker than you may realise. Here we outline how to redecorate a pre-painted door with water-based products.



WINDOW WHITE



EASY TO ACHIEVE

Change your entrance for the better in five easy steps. For more information on other door types and suitable products, visit weathershield.ie or youtube.com/duluxireland for our how-to videos.



STEP 1

Begin by sanding the door surface thoroughly to create a rough surface known as a key. Repair any damage using suitable filler. The surface must be clean and dry.



STEP 2

Remove any door furniture and use masking tape to cover any elements that have to stay put.



STEP 3

Apply one coat of Dulux Weathershield Quick Dry Exterior Undercoat for excellent coverage and opacity using an acrylic bristle brush.



STEP 4

For a water-based finish, choose Dulux Weathershield Exterior Satinwood, Dulux Weathershield Quick Drying Exterior Gloss or Exterior Satin. All are low odour, acrylic-based and better for the environment.



STEP 5

Finish by applying two coats of your preferred top coat in your chosen colour. Leave to dry for four hours before you apply the second coat.



CARRAIG GREY

PURE BRILLIANT

WHITE
Window and Door S

MERLIN

REFRESH YOUR BUSINESS

Whatever type of enterprise you have, Dulux Weathershield offers a choice of bespoke shades to help you create a colour scheme that sets your business apart.

Look to the future with optimism and take inspiration from these exterior looks. Discover new colours for your premises



SHERKIN BLUE*

BLUESTACK*

NEW WOOL



DONEGAL GRASS*

MOONLIGHT AGOON

in our bespoke range on page 11.

WILD COTTON

FOXFIRE

BLACK linth and Fascia



PREPARATION

IS KEY

Correct preparation with the Dulux Weathershield system ensures the job is done right the first time



STEP 1 | Preparation Products



lichen and protects against regrowth



Seals powdery and chalky surfaces to give base for masonry paint



surfaces with excellent

stain resistant properties

STEP 3 | Front Door, Wood & Metal

STEP 2 | Masonry



Ready Mix and Bespoke Colour

New improved mould and algae resistance** |

Superior flexibility for all weather protection | Superior colour retention | Fast shower resistance*** | Protection against cracking and flaking | 38 ready mix colours on shelf | 850+ colours mixed instore.



Weathershield Exterior Satinwood

Weatherproof | Quick drying, tough and durable | Water-based formula | 15 ready mix colours available | 620+ colours mixed instore.

Dulux High Gloss

Exterior and interior paint | 17 ready mix colours available | 12,000+ colours mixed instore.

STEP 4 | Make sure you have everything you need

Paint	Scraper	Hard Brush	Filler	Drop Cloths	Roller & Tray
Brushes	Ladder	Sandpaper	Masking Tape	Fungicidal Wash	Stabilising Primer

^{**}Contains a fungicide to inhibit the growth of mould and algae within the paint film and helps it stay looking cleaner for longer. ***Shower resistance was carried out in Dulux Paints Ireland laboratories in an environment above 7 degrees celsius - one shower of 80-90 grams of water was sprayed over an area of 1 sq.m.



Dulux Cork

Commons Road,

T (021) 422 0222 **F** (021) 422 0205

Dulux Dublin

Unit J, South City Business Park, Killinarden, Tallaght, Dublin 24

T (01) 455 6099

E marketing@dulux.ie **F** 1800 455 455 weathershield.ie dulux.ie

Visit weathershield.ie and dulux.ie for more handy colour schemes, tips and inspiration.

2022 Colour Card. For technical reasons connected with the printing process, the representation of the colour in photography may not exactly match the colour in the can. The colour chips on the centre section of the card will be much more accurate but slight variations between batches of paint may occur. Where more than one tin of paint is required, check that the batch numbers are identical and if not intermix before use.







